

## WebtoB Server

ID 가 E-mail (Technical Contact)

-----BEGIN CERTIFICATE-----

```
JIEBSDSCExoCHQEwLQMJSOZILvoNVQECSQAwcSETMRkoAMUTBhMuVrMmIoAnBdN
VBAoTF1JTQSBEXRhfIFNIY3VyaXR5LCBJbmMuMRwwGgYDVQQLEXNQZXJzb25hIENI
cnRpZmljYXRIMSQwlgYDVQQDEXTpCGVuIE1hcmtldCBUZXR0IFNlcnZlciAxMTAwHhcNO
TUwNzE5MjAyNzNmWWhcNOTYwNTE0MjAyOTUwWjBzMQswCQYDVQQGEwJVUzEgMB
4GA1UEChMXUINBIERhdGEgU2VjdXJpdHksIEluYy4xHDAaBgNVBAsTE1BlcnNvbmeGQ
2VydGImaWNhdGUxJDAiBgNVBAMTG09wZW4gTWfya2V0IFRlc3QgU2VydMvYiDEEM
DBcMA0GCSqGSIb3DQEBAQUAA0sAMEgCQQDU/7IrgR6vkVNX40BAq1poGdSmGkD1iN
3sEPfSTGxNJXY58XH3JoZ4nrF7mIfvpghNi1taYimvhhbBPNqYe4yLPAgMBAAEwDQYJKo
ZIhvcNAQECBQADQQBqyCpws9EaAjKKAefuNP+z+z8NY8khckgyHN2LLpfhv+iP8m+bF
66HNDUIFz8ZrVOu3WQapgLPV90kIskNKXX3a
```

-----END CERTIFICATE-----

### 1.

-----BEGIN CERTIFICATE ~ ~ END CERTIFICATE-----

newreq.pem

CSR

가 newreq.pem

### 2.

http.m \*DOMAIN, \*NODE, \*VHOST, \*SVRGROUP, \*SERVER,

\*SSL

- DOCROOT : 가
- PORT : \*NODE \*VHOST Port  
(\*VHOST .)
- SSLFLAG(default - off) : SSLFLAG 가 on SSL
- SSLNAME : SSL  
(SSLFLAG 가 on .)

### 3. \*SSL

```
VHOST      SSLNAME      *SSL      .
```

Ex)

```
*SSL
```

```
ssl1
```

```
#      CACertificatePath = "/user4/ybsong/webtob/work/wwwCA",
#      CACertificateFile = "/user4/ybsong/webtob/ssl/wwwCA/cacert.pem",
      CertificateFile = "/root/webtob/ssl/newreq.pem", //
      CertificateKeyFile = "/root/webtob/ssl/newreq.pem", //
      RandomFile = "/root/webtob/ssl/urandom, 2048",
      RandomFilePerConnection = "/root/webtob/ssl/urandom, 512",
      VerifyClient = 0,
      VerifyDepth = 10
```

### 4.

```
http.m      .
```

```
      wscfl      .
```

Ex)

```
$ wscfl -i http.m
```

```
$ CFL is done successfully for node<NODE NAME> //
```

### 5. WebtoB

```
WebtoB      .
```

```
$ wsdwn      // WebtoB
```

```
Do you really want to down whole webtob ? <y : n> :
```

```
$wsboot      //WebtoB
```

```
wsboot for node< > is starting :
```

```
Enter PEM pass phrase :      //
```

```
=>
```